

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
UC1BSSA000A	2.350,00	130564	ULISSE COMPACT 230Vac with camera PAL 10x zoom
UC1ASSA000A	2.430,00	130559	ULISSE COMPACT 230Vac with camera PAL 18x zoom
UC1PSSA000A	2.700,00	130569	ULISSE COMPACT 230Vac with camera PAL 36x zoom
UC2PSSA000A	2.700,00	130599	ULISSE COMPACT 24Vac with camera PAL 36x zoom
UC1PVWA000A	2.950,00	130573	ULISSE COMPACT 230Vac with camera PAL 36x zoom, wiper, I/O alarm-card
UC2PVWA000A	2.950,00	130603	ULISSE COMPACT 24Vac with camera PAL 36x zoom, wiper, I/O alarm-card
UC1QVRA000A	3.150,00	130702	ULISSE COMPACT 230Vac camera PAL 28x zoom, IR LED 10° illuminator, I/O alarm-card
UC1QVTA000A	3.305,00	130703	ULISSE COMPACT 230Vac camera PAL 28x zoom, wiper, IR LED 10° illuminator, I/O alarm-card
UC1PVTA000A	3.430,00	130611	ULISSE COMPACT 230Vac camera PAL 36x zoom, wiper, IR LED 10° illuminator, I/O alarm-card
UC2PVTA000A	3.430,00	130619	ULISSE COMPACT 24Vac camera PAL 36x zoom, wiper, IR LED 10° illuminator, I/O alarm-card
UC1QVTAX00A	3.785,00	130705	ULISSE COMPACT IP 230Vac, camera 28x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms
UC1PVTAX00A	3.910,00	130648	ULISSE COMPACT IP 230Vac, camera 36x, dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarm-card
UC1AVUAX00A	3.640,00	130649	ULISSE COMPACT IP 230Vac, camera 18x, dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarm-card
UC1BVUAX00A	3.560,00	130650	ULISSE COMPACT IP 230Vac, camera 10x, dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarm-card
UCT1PBWA000A	18.800,00	130639	ULISSE COMPACT THERMAL dual vision 230Vac, optical zoom 36x, thermal camera 25mm, 7.5-8.3Hz, PAL, wiper and heater
UCT1PAWA000A	18.800,00	130640	ULISSE COMPACT THERMAL dual vision 230Vac, optical zoom 36x, thermal camera 35mm, 7.5-8.3Hz, PAL, wiper and heater
UCT2PBWA000A	18.800,00	130641	ULISSE COMPACT THERMAL dual vision 24Vac, optical zoom 36x, thermal camera 25mm, 7.5-8.3Hz, PAL, wiper and heater
UCT2PAWA000A	18.800,00	130642	ULISSE COMPACT THERMAL dual vision 24Vac, optical zoom 36x, thermal camera 35mm 7.5-8.3Hz, PAL, wiper and heater
UCT2NBWA000A	18.800,00	130643	ULISSE COMPACT THERMAL dual vision 24Vac, optical zoom 36x, thermal camera 25mm 7.5-8.3Hz, NTSC, wiper and heater
UCT2NAWA000A	18.800,00	130644	ULISSE COMPACT THERMAL dual vision 24Vac, optical zoom 36x, thermal camera 35mm 7.5-8.3Hz, NTSC, wiper and heater
UPT1SVSA000C	2.550,00	130462	ULISSE positioning unit 230Vac
UPT1SVSA000C	2.480,00	130462	ULISSE positioning unit 24Vac
UPT1SVWA000C	2.860,00	130466	ULISSE positioning unit 230Vac with wiper
UPT2SVWA000C	2.790,00	130504	ULISSE positioning unit 24Vac with wiper
UPT1SVSAY00E	3.000,00	130695	ULISSE NETWORK CAM 230Vac
UPT2SVSAY00E	2.930,00	130698	ULISSE NETWORK CAM 24Vac
UPT1SVWAY00E	3.310,00	130696	ULISSE NETWORK CAM 230Vac, con tergcristallo integrato
UPT2SVWAY00E	3.240,00	130700	ULISSE NETWORK CAM 24Vac, con tergcristallo integrato
UPT2SVQAY00E	3.260,00	130697	ULISSE NETWORK CAM 24Vac, con supporto per fari IR
UPT2SVUAY00E	3.570,00	130699	ULISSE NETWORK CAM 24Vac, con tergcristallo integrato e supporto per fari IR
UPT2SVUA000C	3.060,00	130502	ULISSE IR360 positioning unit 24Vac, with wiper, bracket for IR LED illuminators (IR not included), continuous rotation
UPT2QVQA000C	3.825,00	130713	ULISSE IR360 positioning unit 24Vac, integrated day/night camera zoom 28x PAL, bracket for IR LED illuminators (IR not included), continuous rotation
UPT2QVUA000C	4.135,00	130714	ULISSE IR360 positioning unit 24Vac, integrated day/night camera zoom 28x PAL, with wiper, bracket for IR LED illuminators (IR not included), continuous rotation
UPT2PVQA000C	3.950,00	130476	ULISSE IR360 positioning unit 24Vac, integrated day/night camera zoom 36x PAL, bracket for IR LED illuminators (IR not included), continuous rotation
UPT2PVUA000C	4.260,00	130484	ULISSE IR360 positioning unit 24Vac, integrated day/night camera zoom 36x PAL, with wiper, bracket for IR LED illuminators (IR not included), continuous rotation
UPT1SVGA000C	4.095,00	130458	ULISSE THERMAL positioning Unit 230Vac with standard side-opening housing and Ø55mm Germanium glass window
UPT2SVGA000C	4.025,00	130492	ULISSE THERMAL positioning Unit 24Vac with standard side-opening housing and Ø55mm Germanium glass window
UPT1SVGAX00C	4.735,00	130457	ULISSE THERMAL positioning unit with integrated MPEG4 video server, 230Vac, with standard side-opening housing and Ø55mm Germanium glass window
UPT2SVGAX00C	4.665,00	130491	ULISSE THERMAL positioning unit with integrated MPEG4 video server, 24Vac, with standard side-opening housing and Ø55mm Germanium glass window
UPT1SMSA000C	3.650,00	130684	ULISSE PLUS 230Vac, custodia grande con riscaldamento
UPT2SMSA000C	3.650,00	130685	ULISSE PLUS 24Vac, custodia grande con riscaldamento
UPT1SMWA000C	3.900,00	130686	ULISSE PLUS 230Vac, custodia grande con riscaldamento e tergcristallo integrato
UPT2SMWA000C	3.900,00	130687	ULISSE PLUS 24Vac, custodia grande con riscaldamento e tergcristallo integrato
UPT2SMQA000C	3.920,00	130701	ULISSE PLUS 24Vac, custodia grande con riscaldamento e supporto per fari IR
UPT2SMUA000C	4.170,00	130688	ULISSE PLUS 24Vac, custodia grande con riscaldamento, tergcristallo integrato e supporto per fari IR
UPT1SLWA000C	5.200,00	130456	ULISSE MAXI positioning unit 230Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT2SLWA000C	5.130,00	130488	ULISSE MAXI positioning unit 24Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT1SLWAX00C	5.840,00	130455	ULISSE MAXI positioning unit with integrated MPEG4 video server, 230Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT2SLWAX00C	5.770,00	130487	ULISSE MAXI positioning unit with integrated MPEG4 video server, 24Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPTHT1	120,00	130437	Reinforced heater for Ulisse with generic lens/cameras
UPTHT2	120,00	130438	Reinforced heater for Ulisse with integrated block camera Sony
IR10BD	930,00	130207	Infra-red LED illuminator 10°, 12-24Vac/dc
IR30BD	930,00	130208	Infra-red LED illuminator 30°, 12-24Vac/dc
IR60BD	930,00	97318	Infra-red LED illuminator 60°, 12-24Vac/dc

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
IRPSBD120	150,00	130203	Power supply and control to synchronize IR illuminators with Ulisse camera module Day/Night switching, 120Vac, in weatherproof box (not needed for ULISSE IR360)
IRPSBD230	150,00	130204	Power supply and control to synchronize IR illuminators with Ulisse camera module Day/Night switching, 230Vac, in weatherproof box (not needed for ULISSE IR360)
IRPSBD24	150,00	130205	Power supply and control to synchronize IR illuminators with Ulisse camera module Day/Night switching, 24Vac, in weatherproof box (not needed for ULISSE IR360)
UPTIRPS230	210,00	130623	Power supply and control IN 230VAC in weatherproof box for ULISSE IR360. Photocell included.
UPTIRPS120	210,00	on request	Power supply and control IN 120VAC in weatherproof box for ULISSE IR360. Photocell included.
UCAC1	95,00	130624	I/O Alarms Cards for ULISSE COMPACT
OIRCPA	22,00	130373	Adapter plate for IRPSBD with PTCC1
UPTWBA	90,00	130442	Wall bracket with internal cable channel
PTCC1	92,00	130404	Pole mount adaptor
WCWGC	65,00	130542	Corner adaptor
UPTWBTA	90,00	130545	Parapet bracket with internal cable channel
UCCMA	290,00	130629	Ceiling bracket mount for upside down working of ULISSE COMPACT
UPTJBUL	195,00	130625	UL junction weatherproof box
UPT5WAS01C	378,21	130630	Tank 5l, 230Vac washer pump
UPT5WAS02C	378,21	130631	Tank 5l, 24Vac washer pump
UPTWAS01C	399,00	130440	Tank 23l, 230Vac washer pump
UPTWAS02C	399,00	130441	Tank 23l, 24Vac washer pump
UPTWAS03C	399,00	on request	Tank 23l, 120Vac washer pump
UPTWASA01C	1.155,00	130439	Tank 23l, 230Vac washer pump, high delivery up 30m (98.4ft)
UPTWASA03C	1.155,00	on request	Tank 23l, 120Vac washer pump, high delivery up 30m (98.4ft)
EXHC000	1.553,00	130046	Housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, with heater 24Vac. Sunshield not included
EXHC200	1.553,00	130050	Housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, with heater 230Vac. Sunshield not included
EXHC003R	1.732,00	130048	Housing RAL7001, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, with triple heater 24Vac, special painting for temperature down to -40°C (-40°F). Sunshield not included.
EXHD001	2.965,00	130051	Housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, with heater 24Vac and glass protection device. Sunshield not included
EXHD005R	3.129,00	130052	Housing RAL7001, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, with triple heater 24Vac, special painting for temperature down to -40°C (-40°F) and glass protection device. Sunshield not included.
EXHC000G	14.071,00	130047	Housing for thermal camera equipped with 114mm Germanium glass, RAL7032, certified ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, with heater 24Vac. Sunshield not included
EXHS000	96,00	130053	Sunshield 640mm for EXHC series housings
EXHS001	119,00	130054	Sunshield 760mm for housing with glass protection device EXHD
EXPTC000	6.988,00	130055	P&T 24Vac with integrated housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, P&T preset and housing heater. Sunshield not included.
EXPTC010	7.256,00	130056	P&T 24Vac with integrated housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, preset, autopan and housing heater 24Vac. Sunshield not included
EXPTC033R	7.500,00	130058	P&T 24Vac with integrated housing RAL7001, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, preset, autopan, reinforced housing heater 24Vac (triple) and P&T motors heater 24Vac (double), special painting for temperature down to -40°C (-40°F). Sunshield not included
EXPTD001	8.579,00	130060	P&T 24Vac with integrated housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, preset, glass protection device and housing heater 24Vac. Sunshield not included
EXPTD011	9.153,00	130061	P&T 24Vac with integrated housing RAL7032, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, preset, glass protection device, autopan and housing heater 24Vac. Sunshield not included
EXPTD035R	9.396,00	130062	P&T 24Vac with integrated housing RAL7001, certified IECEx Ex d IIC T6 Ex tD A21 IP66 T85°C, ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, preset, autopan, reinforced housing heater 24Vac (triple) and heater for P&T motors 24Vac (double), special painting for temperature down to 40°C (-40°F) and glass protection device. Sunshield not included
EXPTC010G	19.247,00	130057	P&T 24Vac with integrated housing for thermal camera equipped with 114mm Germanium glass, RAL7032, certified ATEX II 2 GD Exd IIC T6 tD A21 IP66 T85°C, GOST-R 1ExdIICT6 и DIP A21 T _A T6, 7.5m pre-installed multipolar cable, preset, autopan and housing heater. Sunshield not included
EXPTS000	96,00	130063	Sunshield 640mm for housing with P&T, EXPTC series

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
EXPTS001	119,00	130064	Sunshield 760mm for housing with glass protection device with P&T, EXPTD series
EXDTRX324	1.701,00	130045	Digital receiver driver 24Vac certified ATEX Ex II 2 GD Ex d IIC T6 Ex tDA21 IP66 T85°C, 17 functions with included preset and alarm card. It allows the control of EX range P&T's.
EXDTRX3	1.887,00	130044	Digital receiver driver 230Vac certified ATEX Ex II 2 GD Ex d IIC T6 Ex tDA21 IP66 T85°C, 17 functions with included preset and alarm card. It allows the control of EX range P&T's.
EXPTWB000	447,00	130066	Bracket for EXPT, RAL7032
EXPTWB00R	499,00	130065	Bracket for EXPT, RAL7001
EXWBJ000	486,00	130068	Wall bracket and ball joint for EXH, RAL7032
EXWBJ00R	536,00	130067	Wall bracket and ball joint for EXH, RAL7001
EXBJ000	341,00	130043	Ball joint for EXH, RAL7032
EXBJ00R	378,00	130042	Ball joint for EXH, RAL7001
OCTEX3/4C	on request	130721	Cable gland with gasket EX 3/4" NPT not armored cable IECEX-ATEX-GOST
OCTEXA3/4C	on request	130722	Cable gland with gasket EX 3/4" NPT armored cable IECEX-ATEX-GOST
OCTEXB3/4C	on request	130723	"Barrier" cable gland 3/4" NPT not armored cable IECEX-ATEX-GOST
OCTEXBA3/4C	on request	130724	"Barrier" cable gland 3/4" NPT armored cable IECEX-ATEX-GOST
OCTEX3/4	47,00	130263	Cable gland with gasket EX 3/4" NPT armored cable ATEX
OCTEXA3/4	on request	130720	Cable gland with gasket EX 3/4" NPT not armored cable ATEX
TP34EEXIIC	24,00	130427	3/4" plug
OCTEX1/2	71,00	130262	Ex d 1/2"ATEX IP66 cable gland and reduction
OEXGOM	14,00	130305	Gaskets for cable glands 3/4" not armoured
OEXMylar	122,00	130306	Mylar film replacement kit, 18m (59ft), 350 steps
OEXVET	565,00	130307	Complete front flange with glass for EXHC and EXPTC series, RAL7032
OEXDPV	1.675,00	130304	Complete front flange with glass protection device for EXHD and EXPTD series, RAL7032
OSLIEX	165,00	130396	Internal slide complete with heater for EXHC and EXPTC series
OSLIEXD	165,00	130397	Internal slide complete with heater for EXHD and EXPTD series
NXM0D1000B	822,80	97261	Housing
NXM1K1000B	905,08	130239	Housing with sunshield and heater IN 115/230Vac, 40W
NXM2K1000B	905,08	130241	Housing with sunshield and heater IN 12Vdc/24Vac, 20W
NXM1K1050	945,01	130240	Housing with sunshield and double heater IN 115/230Vac, 80W
ONXMAS6	73,81	130391	Sunshield
OHEH06B	18,71	130326	Heater IN 115/230Vac
OHEH05B	18,71	130325	Heater IN 12Vdc/24Vac
ONXPS1B	35,25	130392	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
ONXPS2B	29,83	130393	Camera power supply IN 230Vac - OUT 24Vac
VIPNX1C	598,95	130515	Stainless steel wiper 230Vac
VIPNX2C	598,95	130516	Stainless steel wiper 24Vac
ONXAB2	317,63	130384	Air barrier with tempered glass included
NXFIGRU	577,50	130233	Compressed air filtering group
NTM1K1000	2.400,00	130230	Housing with sunshield and heater IN 115/230Vac and Ø55mm Germanium glass
ONXMAS6	73,81	130391	Sunshield
OHEH06B	18,71	130326	Heater IN 115/230Vac
OHEH05B	18,71	130325	Heater IN 12Vdc/24Vac
ONXPS1B	35,25	130392	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
ONXPS2B	29,83	130393	Camera power supply IN 230Vac - OUT 24Vac
NXL1K1000	1.497,98	130237	Housing with sunshield and heater IN 115/230Vac
NXL2K1000	1.497,98	130238	Housing with sunshield and heater IN 12Vdc/24Vac
ONXLS	132,00	130390	Sunshield
ONXLH1	18,85	130388	Heater IN 115/230Vac
ONXLH2	18,85	130389	Heater IN 12Vdc/24Vac
ONXPS1B	35,25	130392	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
ONXPS2B	29,83	130393	Camera power supply IN 230Vac - OUT 24Vac
VIPNXL1C	598,95	130513	Stainless steel wiper 230Vac
VIPNXL2C	598,95	130514	Stainless steel wiper 24Vac
NTL1K1000	3.000,00	130227	Large housing with sunshield and heater IN 115/230Vac and Ø55mm Germanium glass
NTL1K1300	4.500,00	130228	Large housing with sunshield and heater IN 115/230Vac and Ø70mm Germanium glass
NTL1K1500	6.800,00	130229	Large housing with sunshield and heater IN 115/230Vac and Ø110mm Germanium glass
ONXLH1	18,85	130388	Heater IN 115/230Vac
ONXLH2	18,85	130389	Heater IN 12Vdc/24Vac
ONXPS1B	35,25	130392	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
ONXPS2B	29,83	130393	Camera power supply IN 230Vac - OUT 24Vac
NXPHT210	3.653,00	130242	Pan & Tilt 230Vac, 50/60Hz, with preset, max load 40kg
NXPHT211	3.653,00	130243	Pan & Tilt 24Vac, 50/60Hz, with preset, max load 40kg
NXWOK1000	1.443,18	130246	Liquid cooled housing with ONXAB air barrier, glass not included
NXWOK1025	2.061,68	79669	Liquid cooled housing with ONXAB air barrier with IR-proof glass
ONXWTG	21,00	130394	Tempered glass
ONXWVG	250,00	130395	Vicor glass
ONXAB1025B	703,40	130383	Air barrier with IR-proof glass
OHEPS24	37,70	130349	Camera power supply IN 230Vac - OUT 12Vdc, 400mA
OHEPS25	32,54	130350	Camera power supply IN 230Vac - OUT 24Vac, 400mA
NXFIGRU	577,50	130233	Compressed air filtering group
NTWOK3000	2.400,00	130554	Liquid-cooled housing equipped with Sapphire glass for shortwave thermal cameras, wavelength 0.75 - 4.5 µm (up to 400°C/752°F)
NTWOK2000	5.200,00	130553	Liquid-cooled housing equipped with Zinc-Selenium glass for thermal cameras, wavelength 7.5 - 14µm (up to 200°C/500°F)
OHEPS24	37,70	130349	Camera power supply IN 230Vac - OUT 12Vdc, 400mA

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
OHEPS25	32,54	130350	Camera power supply IN 230Vac - OUT 24Vac, 400mA
OHEPS24	37,70	130349	Camera power supply IN 230Vac - OUT 12Vdc, 400mA
OHEPS25	32,54	130350	Camera power supply IN 230Vac - OUT 24Vac, 400mA
NXWBS1	287,98	97262	Wall bracket for stainless steel housings
NXWBPTH1	352,00	130245	Wall mount for heavy duty Stainless Steel P&T
NXWBL	396,00	130244	Stainless steel wall bracket for NXL housing
NXCOL	239,58	130231	Pole mount adaptor for NXWBS1, NXWBPT and NXWBL
NXCW	119,79	130232	Corner mount adaptor for NXWBS1, NXWBPT and NXWBL
NXFWBT	186,34	130234	Stainless steel parapet mount for NXPTH P&T
VIP5WAS01	282,98	130520	Tank 5l, IN 230Vac washer pump
VIP5WAS02	282,98	97341	Tank 5l, IN 24Vac washer pump
VIP23WAS01	303,77	130518	Tank 23l, IN 230Vac washer pump
VIP23WAS02	303,77	130519	Tank 23l, IN 24Vac washer pump
VIP23WAS04	330,00	130692	Tank 23l, IN 24Vdc-Vac washer pump
VIP23WASA01	958,65	130517	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft)
UPTWAS01C	399,00	130440	Tank 23l, IN 230Vac washer pump (prearranged for DTWRX board)
UPTWAS02C	399,00	130441	Tank 23l, IN 24Vac washer pump (prearranged for DTWRX board)
UPTWAS03C	399,00	on request	Tank 23l, IN 120Vac washer pump (prearranged for DTWRX board)
UPTWASA01C	1.155,00	130439	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
UPTWASA03C	1.155,00	on request	Tank 23l, 120Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
DTWRX	42,00	130041	Optional board for wiper and washer remote control of stand-alone housings, via RS485. Compatible only with UPTWAS model
HOT39K1A000	54,00	130690	Housing PUNTO with sunshield and heater IN 115/230Vac
HOT39K2A000	54,00	130718	Housing PUNTO with sunshield and heater IN 12Vdc/24Vac
HOT39D1A000	45,00	130632	Housing PUNTO with heater IN 115/230Vac
HOT39D2A000	45,00	130634	Housing PUNTO with heater IN 12Vdc/24Vac
HOT39D1A085	64,00	130633	Housing PUNTO with heater IN 115/230Vac and wall bracket WBOV2A
HOT39D2A085	64,00	130635	Housing PUNTO with heater IN 12Vdc/24Vac and wall bracket WBOV2A
HOT39D0A000	35,00	130689	Housing PUNTO
OHOTS	7,50	130636	Sunshield
OHOTPS1	29,00	130637	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc, 1A
OHOTPS2	23,00	130638	Camera power supply IN 230Vac - OUT 24Vac, 400mA
HOV32K1A000	114,00	130169	Housing 300mm with sunshield and heater IN 115/230Vac
HOV32K2A000	114,00	130172	Housing 300mm with sunshield and heater IN 12Vdc/24Vac
HOV32K2A016	179,92	130173	Housing 300mm with sunshield, heater and blower 24Vac and with double filter for air exchange
HOV32K2A017	179,92	130174	Housing 300mm with sunshield, heater and blower 12Vdc with double filter for air exchange
HOV32K1A018	208,92	97251	Housing 300mm with sunshield, heater and blower 230Vac with double filter for air exchange
HOV32K1A100	344,00	130171	Housing 300mm with sunshield, heater IN 115/230Vac and built-in wiper 230Vac
HOV32K2A200	344,00	130177	Housing 300mm with sunshield, heater IN 12Vdc/24Vac and built-in wiper 24Vac
HOV32K2A147	409,92	130176	Housing 300mm with sunshield, heater and blower 24Vac with double filter for air exchange and built-in wiper 24Vac
HOV32K2A170	120,00	130691	Housing 300mm with sunshield, heater IN 12Vdc/24Vac and special M20 cable glands for the quick installation of the RJ45 plug
HOV32K1A085B	137,40	130170	Housing 300mm with sunshield, heater IN 115/230Vac and WBOVA2 wall bracket
HOV32K2A085B	137,40	130175	Housing 300mm with sunshield, heater IN 12Vdc/24Vac and WBOVA2 wall bracket
HOV32K0A000	99,58	130162	Housing 300mm with sunshield
HOV32D0A000	87,58	130161	Housing 300mm
OHOVS32A000	12,00	130361	Sunshield
OHEH26	14,42	130329	Heater IN 115/230Vac
OHEH27	14,42	130330	Heater IN 12Vdc/24Vac
OHOVV1	22,00	130362	Heater fan assistant, continuous duty IN 12Vdc
OHOVV2	22,00	130363	Heater fan assistant, continuous duty, IN 24Vac
OHOVV3	44,00	130364	Heater fan assistant, continuous duty, IN 100/240Vac
OHOVPS1B	29,00	130359	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHOVPS2B	23,00	130360	Camera power supply IN 230Vac - OUT 24Vac
OBKFIL	14,00	130261	Replacement filter kit for double filter housing
OHOVTA1	25,00	97253	Tamper switch on board with tamper proof screws and key
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
OHEGBB	40,00	130318	Weatherproof junction box, IP55
VIP5WAS01	282,98	130520	Tank 5l, IN 230Vac washer pump
VIP5WAS02	282,98	97341	Tank 5l, IN 24Vac washer pump
VIP23WAS01	303,77	130518	Tank 23l, IN 230Vac washer pump
VIP23WAS02	303,77	130519	Tank 23l, IN 24Vac washer pump
VIP23WAS04	330,00	130692	Tank 23l, IN 24Vdc-Vac washer pump
VIP23WASA01	958,65	130517	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft)
UPTWAS01C	399,00	130440	Tank 23l, IN 230Vac washer pump (prearranged for DTWRX board)

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
UPTWAS02C	399,00	130441	Tank 23l, IN 24Vac washer pump (prearranged for DTWRX board)
UPTWAS03C	399,00	on request	Tank 23l, IN 120Vac washer pump (prearranged for DTWRX board)
UPTWASA01C	1.155,00	130439	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
UPTWASA03C	1.155,00	on request	Tank 23l, 120Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
DTWRX	42,00	130041	Optional board for wiper and washer remote control of stand-alone housings, via RS485. Compatible only with UPTWAS model
OWBIP2	5,00	130401	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
HOV32K2A600	239,00	130178	Housing HOV32 Hi-PoE with sunshield and heater (for 12Vdc camera)
HOV32K2A616	304,00	130179	Housing HOV32 Hi-PoE with sunshield, heater and blower with double filter for air exchange (for 12Vdc camera)
OHEPOWINJ	90,00	130339	1 channel Hi-PoE Power Injector
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
OWBIP3	5,00	130622	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HTV32K1A000	1.608,92	on request	Custodia 300mm con tettuccio e riscaldamento IN 115/230Vac e vetro al Germanio Ø50mm
HTV32K2A000	1.608,92	on request	Custodia 300mm con tettuccio e riscaldamento IN 12Vdc/24Vac e vetro al Germanio Ø50mm
OHOVS32A000	12,00	130361	Tettuccio parasole
OHEH26	14,42	130329	Heater IN 115/230Vac
OHEH27	14,42	130330	Heater IN 12Vdc/24Vac
OHOVPS1B	29,00	130359	Alimentatore wide range per telecamera IN 100-240Vac - OUT 12Vdc
OHOVPS2B	23,00	130360	Alimentatore per telecamera IN 230Vac - OUT 24Vac
OHOVTA1	25,00	97253	Switch antiapertura su scheda con viti e chiave antivandalismo
OHEGBB	40,00	130318	Scatola stagna con guaina, IP55
HPV42K1A000	99,60	130188	Housing 420mm with sunshield and heater IN 115/230Vac
HPV42K2A000	99,60	130189	Housing 420mm with sunshield and heater IN 12Vdc/24Vac
HPV42K2A015	127,60	130190	Housing 420mm with sunshield and fan assisted heater 24Vac
HPV42K0A000	83,80	130185	Housing 420mm with sunshield
HPV42D0A000	68,00	130184	Housing 420mm
HPV42K2A016	178,60	130191	Housing 420mm with sunshield, heater and blower 24Vac with double filter for air exchange
HPV42K2A017	178,60	130192	Housing 420mm with sunshield, heater and blower 12Vdc with double filter for air exchange
OHPVS42A000	15,80	130368	Sunshield
OHEH26	14,42	130329	Heater IN 115/230Vac
OHEH27	14,42	130330	Heater IN 12Vdc/24Vac
OHEPS19B	29,00	130346	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHEPS20	23,00	92361	Camera power supply IN 230Vac - OUT 24Vac
OHEGBPS1B	67,66	130319	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc in weatherproof box
OHEGBPS2B	67,66	130320	Camera power supply IN 230Vac - OUT 24Vac in weatherproof box
OHPVCF3	49,00	130365	Blower kit with thermostat and air filter IN 110/240Vac
OHPVV1	22,00	130370	Heater fan assistant, continuous duty IN 12Vdc
OHPVV2	22,00	130371	Heater fan assistant, continuous duty IN 24Vac
OHPVV3	44,00	130372	Heater fan assistant, continuous duty IN 100-240Vac
OHPVTA1	25,00	130369	Tamper switch on board with tamper proof screws and key
OBKFIL	14,00	130261	Replacement filter kit for double filter housing
OWBIP1	5,00	130400	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HPV42K2A600	220,00	130193	Housing HPV42 Hi-PoE with sunshield and heater (for 12Vdc camera)
HPV42K2A616	296,00	130194	Housing HPV42 Hi-PoE with sunshield, heater and blower with double filter for air exchange (for 12Vdc camera)
OHEPOWINJ	90,00	130339	1 channel Hi-PoE Power Injector
OHPVS42A000	15,80	130368	Sunshield
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
OWBIP3	5,00	130622	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OBKFIL	14,00	130261	Replacement filter kit for double filter housing
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HPV42K1A160	150,00	130549	Housing 420mm with sunshield and reinforced heater for low temperatures IN 115/230Vac, 120W
HPV42K2A160	150,00	on request	Housing 420mm with sunshield and reinforced heater for low temperatures IN 12Vdc/24Vac, 60W
OHPVS42A000	15,80	130368	Sunshield
OHEPS19B	29,00	130346	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHEPS20	23,00	92361	Camera power supply IN 230Vac - OUT 24Vac
OHEGBPS1B	67,66	130319	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc in weatherproof box
OHEGBPS2B	67,66	130320	Camera power supply IN 230Vac - OUT 24Vac in weatherproof box
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
OWBIP2	5,00	130401	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HPV36K1A000B	82,00	130182	Housing 360mm with sunshield and heater IN 115/230Vac
HPV36K2A000B	82,00	130183	Housing 360mm with sunshield and heater IN 12Vdc/24Vac
HPV36K2A015B	106,00	92362	Housing 360mm with sunshield and fan assisted heater 24Vac
HPV36K0A000B	66,70	130181	Housing 360mm with sunshield
HPV36D0A000B	57,00	130180	Housing 360mm
OHPVS36A000B	9,80	130367	Sunshield
OHEH26	14,42	130329	Heater IN 115/230Vac
OHEH27	14,42	130330	Heater IN 12Vdc/24Vac
OHEPS19B	29,00	130346	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
OHEPS20	23,00	92361	Camera power supply IN 230Vac - OUT 24Vac
OHPVV1	22,00	130370	Heater fan assistant, continuous duty IN 12Vdc
OHPVV2	22,00	130371	Heater fan assistant, continuous duty IN 24Vac
OHPVV3	44,00	130372	Heater fan assistant, continuous duty IN 100-240Vac
OWBIP2	5,00	130401	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HGV52K1A100	1.080,00	130159	Housing 520mm with sunshield, triple fan assisted heater, built-in wiper 230Vac and built-in power supply IN 100-240VAC - OUT 12Vdc
HGV52K2A200	1.080,00	130160	Housing 520mm with sunshield, triple fan assisted heater and built-in wiper 24Vac
VIP5WAS01	282,98	130520	Tank 5l, IN 230Vac washer pump
VIP5WAS02	282,98	97341	Tank 5l, IN 24Vac washer pump
VIP23WAS01	303,77	130518	Tank 23l, IN 230Vac washer pump
VIP23WAS02	303,77	130519	Tank 23l, IN 24Vac washer pump
VIP23WAS04	330,00	130692	Tank 23l, IN 24Vdc-Vac washer pump
VIP23WASA01	958,65	130517	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft)
UPTWAS01C	399,00	130440	Tank 23l, IN 230Vac washer pump (prearranged for DTWRX board)
UPTWAS02C	399,00	130441	Tank 23l, IN 24Vac washer pump (prearranged for DTWRX board)
UPTWAS03C	399,00	on request	Tank 23l, IN 120Vac washer pump (prearranged for DTWRX board)
UPTWASA01C	1.155,00	130439	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
UPTWASA03C	1.155,00	on request	Tank 23l, 120Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
DTWRX	42,00	130041	Optional board for wiper and washer remote control of stand-alone housings, via RS485. Compatible only with UPTWAS model
HEG37K1A000	154,65	130093	Housing 365mm with sunshield and heater IN 115/230Vac
HEG37K2A000	154,65	130097	Housing 365mm with sunshield and heater IN 12Vdc/24Vac
HEG37K1A018	247,80	130094	Housing 365mm with sunshield, heater and blower 230Vac with double filter for air exchange
HEG37K1A074	186,56	130095	Housing 365mm with sunshield and double heater IN 115/230Vac
HEG37K1A143	229,95	130096	Housing 365mm with sunshield and fan-assisted triple heater IN 115/230Vac, 120W
HEG47K1A000	165,47	130104	Housing 450mm with sunshield and heater IN 115/230Vac
HEG47K2A000	165,47	130109	Housing 450mm with sunshield and heater IN 12Vdc/24Vac
HEG47K2A016	227,85	130110	Housing 450mm with sunshield, heater and blower 24Vac with double filter for air exchange
HEG47K2A017	227,85	130111	Housing 450mm with sunshield, heater and blower 12Vdc with double filter for air exchange
HEG47K1A018	258,62	130105	Housing 450mm with sunshield, heater and blower 230Vac with double filter for air exchange
HEG47K1A036	286,60	130106	Housing 450mm with sunshield, heater IN 115/230Vac, 3+1 and 6+1 poles connectors and 1 BNC complete with prewired cable for video input
HEG47K2A036	286,60	130112	Housing 450mm with sunshield, heater IN 12Vdc/24Vac, 3+1 and 6+1 poles connectors and 1 BNC complete with prewired cable for video input
HEG37K0A000	136,27	130090	Housing 365mm with sunshield
HEG37D0A000	105,99	130089	Housing 365mm
OHEGS37A000	30,28	130321	Sunshield for 365mm housing
OHEGS47A000	32,45	130322	Sunshield for 450mm housing
OHEH24B	17,51	130327	Heater IN 115/230Vac
OHEH25B	17,51	130328	Heater IN 12Vdc/24Vac
OHEPS19B	29,00	130346	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHEPS20	23,00	92361	Camera power supply IN 230Vac - OUT 24Vac
OHEGBPS1B	67,66	130319	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc in weatherproof box
OHEGBPS2B	67,66	130320	Camera power supply IN 230Vac - OUT 24Vac in weatherproof box
VIP6A1	350,00	130521	Wiper kit 230Vac
VIP6A2	350,00	130522	Wiper kit 24Vac
VIP5WAS01	282,98	130520	Tank 5l, IN 230Vac washer pump
VIP5WAS02	282,98	97341	Tank 5l, IN 24Vac washer pump
VIP23WAS01	303,77	130518	Tank 23l, IN 230Vac washer pump
VIP23WAS02	303,77	130519	Tank 23l, IN 24Vac washer pump
VIP23WAS04	330,00	130692	Tank 23l, IN 24Vdc-Vac washer pump
VIP23WASA01	958,65	130517	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft)
UPTWAS01C	399,00	130440	Tank 23l, IN 230Vac washer pump (prearranged for DTWRX board)
UPTWAS02C	399,00	130441	Tank 23l, IN 24Vac washer pump (prearranged for DTWRX board)
UPTWAS03C	399,00	on request	Tank 23l, IN 120Vac washer pump (prearranged for DTWRX board)
UPTWASA01C	1.155,00	130439	Tank 23l, IN 230Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
UPTWASA03C	1.155,00	on request	Tank 23l, 120Vac washer pump, high delivery up 30m (98.4ft) (prearranged for DTWRX board)
DTWRX	42,00	130041	Optional board for wiper and washer remote control of stand-alone housings, via RS485. Compatible only with UPTWAS model
OBKFIL	14,00	130261	Replacement filter kit for double filter housing
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator
IRBA	23,25	130202	Bracket for mounting 2 IR50 infrared illuminators (not compatible with double filter housings)
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HTG37K1A000	1.700,00	130195	Housing 365mm with sunshield and heater IN 115/230Vac and Ø55mm Germanium glass
HTG37K2A000	1.700,00	130196	Housing 365mm with sunshield and heater IN 12Vdc/24Vac and Ø55mm Germanium glass
OHEGS37A000	30,28	130321	Sunshield
OHEH24B	17,51	130327	Heater IN 115/230Vac
OHEH25B	17,51	130328	Heater IN 12Vdc/24Vac

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
OHEPS19B	29,00	130346	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHEPS20	23,00	92361	Camera power supply IN 230Vac - OUT 24Vac
OHEGBPS1B	67,66	130319	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc in weatherproof box
OHEGBPS2B	67,66	130320	Camera power supply IN 230Vac - OUT 24Vac in weatherproof box
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HEB26K1A000B	108,46	130082	Housing 260mm with sunshield and heater IN 115/230Vac
HEB26K2A000B	108,46	130083	Housing 260mm with sunshield and heater IN 12Vdc/24Vac
HEB32K1A000B	108,46	130086	Housing 320mm with sunshield and heater IN 115/230Vac
HEB32K2A000B	108,46	130087	Housing 320mm with sunshield and heater IN 12Vdc/24Vac
HEB26K0A000B	89,61	130081	Housing 260mm with sunshield
HEB32K0A000B	89,61	130085	Housing 320mm with sunshield
HEB26D0A000B	69,98	130080	Housing 260mm
HEB32D0A000B	69,98	130084	Housing 320mm
OHEBS26A000	19,63	130313	Sunshield for 260mm housing
OHEBS32A000	19,63	130314	Sunshield for 320mm housing
OHEH02B	16,27	130324	Heater IN 115/230Vac
OHEH01B	16,27	130323	Heater IN 12Vdc/24Vac
OHEBVF1	28,00	130315	Blower kit with thermostat air filter IN 12Vdc
OHEBVF2	28,00	130316	Blower kit with thermostat air filter IN 24Vac
OHEBVF3	52,00	130317	Blower kit with thermostat air filter IN 230Vac
OHEPS01B	42,00	130340	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHEPS02B	37,00	130341	Camera power supply IN 230Vac - OUT 24Vac
OWBIP2	5,00	130401	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OHEGBB	40,00	130318	Weatherproof junction box, IP55
OHEH06B	18,71	130326	Heater IN 115/230Vac
OHEH05B	18,71	130325	Heater IN 12Vdc/24Vac
OHEPS24	37,70	130349	Camera power supply IN 230Vac - OUT 12Vdc, 400mA
OHEPS25	32,54	130350	Camera power supply IN 230Vac - OUT 24Vac, 400mA
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HEK26K1Y000B	85,49	130115	Housing 260mm with sunshield and heater IN 115/230Vac
HEK26K2Y000B	85,49	130116	Housing 260mm with sunshield and heater IN 12Vdc/24Vac
HEK30K1Y000B	85,49	130119	Housing 300mm with sunshield and heater IN 115/230Vac
HEK30K2Y000B	85,49	130120	Housing 300mm with sunshield and heater IN 12Vdc/24Vac
HEK30K2Y015B	113,30	130121	Housing 300mm with sunshield and fan assisted heater 24Vac
HEK26K0Y000B	66,07	130114	Housing 260mm with sunshield
HEK30K0Y000B	66,07	130118	Housing 300mm with sunshield
HEK26D0Y000B	52,24	130113	Housing 260mm
HEK30D0Y000B	52,24	130117	Housing 300mm
OHEKS26A000	13,83	130331	Sunshield for 260mm housing
OHEKS30A000	13,83	130332	Sunshield for 300mm housing
OHEH02B	16,27	130324	Heater IN 115/230Vac
OHEH01B	16,27	130323	Heater IN 12Vdc/24Vac
OHEKVF1EB	81,08	130333	Blower kit with thermostat and air filter IN 12Vdc, housing back cover included
OHEKVF2EB	81,08	130334	Blower kit with thermostat and air filter IN 24Vac, housing back cover included
OHEPS10B	30,99	130344	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc
OHEPS11B	30,99	130345	Camera power supply IN 230Vac - OUT 24Vac
OWBIP2	5,00	130401	Kit special gaskets for IP66 protection for WBOVA2 and WCM4A2 brackets
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HEA30K1A000	94,76	130075	Housing 300mm with sunshield and heater IN 115/230Vac
HEA30K2A000	94,76	130077	Housing 300mm with sunshield and heater IN 12Vdc/24Vac
HEA30K0A000	78,00	130074	Housing 300mm with sunshield
HEA30D0A000	60,98	130073	Housing 300mm
OHEAS30A000	17,03	130309	Sunshield for 300mm housing
OHEH02B	16,27	130324	Heater IN 115/230Vac
OHEH01B	16,27	130323	Heater IN 12Vdc/24Vac
OHEPS05	42,87	130342	Camera power supply IN 230Vac - OUT 12Vdc
OHEPS06	42,87	130343	Camera power supply IN 230Vac - OUT 24Vac
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HEM30K1A000	76,80	130128	Housing 300mm with sunshield and heater IN 115/230Vac
HEM30K2A000	76,80	130129	Housing 300mm with sunshield and heater IN 12Vdc/24Vac
HEM30D0A000	50,70	130126	Housing 300mm
OHEH02B	16,27	130324	Heater IN 115/230Vac
OHEH01B	16,27	130323	Heater IN 12Vdc/24Vac
OHEPS05	42,87	130342	Camera power supply IN 230Vac - OUT 12Vdc
OHEPS06	42,87	130343	Camera power supply IN 230Vac - OUT 24Vac
OHEGBB	40,00	130318	Weatherproof junction box, IP55
HET16K1A071	84,97	130148	Housing 160mm with sunshield, heater IN 115/230Vac and WBCAA bracket
HET16K2A071	84,97	130150	Housing 160mm with sunshield, heater IN 12Vdc/24Vac and WBCAA bracket
HET16K0A071	66,12	130146	Housing 160mm with sunshield and WBCAA bracket
OHEH02B	16,27	130324	Heater IN 115/230Vac
OHEH01B	16,27	130323	Heater IN 12Vdc/24Vac
OHEGBPS1B	67,66	130319	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc in weatherproof box
OHEGBPS2B	67,66	130320	Camera power supply IN 230Vac - OUT 24Vac in weatherproof box
OHEGBB	40,00	130318	Weatherproof junction box, IP55
WBJA	15,75	92358	Housing wall bracket with ball joint
WBMA	15,75	130533	Housing wall bracket with ball joint
WBOVA2	23,40	97252	Wall bracket with internal cable channel (HOV, HEB, HEK, VERSO, VERSO Compact)
WBOV3A2	131,39	130534	WBOVA2 wall bracket with support plate and integrated junction box with internal cable channel
WBLA	510,00	130532	Wall bracket for HGV housing with ball joint in non-corrosive sturdy aluminium alloy (anticorrosive), RAL9002

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
ODBH24H151	98,41	130290	Adapter for AXIS 214, with fan-assisted heater 230Vac
ODBH24H154	98,41	130292	Adapter for PANASONIC NS-202, with fan-assisted heater 230Vac
DSBH120	123,95	130033	Half sphere dome, false ceiling mount, with smoked bubble
DSBH120TR	123,95	130034	Half sphere dome, false ceiling mount, with clear bubble
DBH04	72,30	92279	Wall mount for DBH24
DBH03	85,22	130013	Ceiling mount for DBH24
DPTCH1	92,00	130032	Pole adaptor for DBH04
DBHWGC	74,00	130548	Pole adapter Ø 210mm max 225mm (8.2"max 8.85")
DCWGH	65,00	130031	Corner adaptor for DBH04
AVBPH1K000	583,67	130001	Armoured housing with sunshield and heater IN 115/230Vac
AVBPH2K000	583,67	130002	Armoured housing with sunshield and heater IN 12Vdc/24Vac
OAVBPHH1	19,42	130250	Heater IN 115/230Vac
OAVBPHH2	19,42	130251	Heater IN 12Vdc/24Vac
OAVBPHCF1	79,79	130247	Blower kit with thermostat air filter IN 12Vdc
OAVBPHCF2	79,79	130248	Blower kit with thermostat air filter IN 24Vac
OAVBPHCF3	92,03	130249	Blower kit with thermostat air filter IN 230Vac
OHEPS24	37,70	130349	Camera power supply IN 230Vac - OUT 12Vdc, 400mA
OHEPS25	32,54	130350	Camera power supply IN 230Vac - OUT 24Vac, 400mA
AVBPWBB	154,26	130003	Wall bracket with cable channel and support plate for wall mount
AVBPWB01B	231,94	130004	Wall bracket with cable channel, support plate for wall mount and box
AVTPSC0A000B	158,00	130008	Compact tamperproof camera housing, ceiling mount, lock with universal key
OHEH24B	17,51	130327	Heater IN 115/230Vac
OHEH25B	17,51	130328	Heater IN 12Vdc/24Vac
OHEPS22	38,83	130347	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc, 1A
OHEPS23	38,83	130348	Camera power supply IN 230Vac - OUT 24Vac, 400mA
OVET2TPSCB	12,00	130398	Spare PMMA glass
AVTPSK0A000B	280,00	130009	Tamperproof camera housing, ceiling mount, lock with individual
AVTPSK0A101B	280,00	130010	Ceiling tamperproof camera housing, lock with universal key
OAVTPSTA	21,00	130252	Tamper switch
OHEH24B	17,51	130327	Heater IN 115/230Vac
OHEH25B	17,51	130328	Heater IN 12Vdc/24Vac
OHEPS22	38,83	130347	Wide range power supply for camera IN 100-240Vac - OUT 12Vdc, 1A
OHEPS23	38,83	130348	Camera power supply IN 230Vac - OUT 24Vac, 400mA
OVET2TPSKB	20,00	130399	Polycarbonate glass
IR10BD	930,00	130207	Infra-red LED illuminator 10°, 12-24Vac/dc
IR30BD	930,00	130208	Infra-red LED illuminator 30°, 12-24Vac/dc
IR60BD	930,00	97318	Infra-red LED illuminator 60°, 12-24Vac/dc
IRPSBD120	150,00	130203	Power supply and control to synchronize IR illuminators with Ulisse camera module Day/Night switching, 120Vac, in weatherproof box (not needed for ULISSE IR360)
IRPSBD230	150,00	130204	Power supply and control to synchronize IR illuminators with Ulisse camera module Day/Night switching, 230Vac, in weatherproof box (not needed for ULISSE IR360)
IRPSBD24	150,00	130205	Power supply and control to synchronize IR illuminators with Ulisse camera module Day/Night switching, 24Vac, in weatherproof box (not needed for ULISSE IR360)
OIRCPA	22,00	130373	Adapter plate of IRPSBD with PTCC1
PTCC1	92,00	130404	Pole mount adaptor
IR50SP11	135,00	130215	IR illuminator 12Vac 50W spot, IP66
IR50FL11	135,00	130213	IR illuminator 12Vac 50W flood, IP66
IR50WFL11	135,00	130216	IR illuminator 12Vac 50W wideflood, IP66
IR50FL2	153,00	130214	IR illuminator 230Vac 50W flood, IP66
IRPS12	72,97	130206	Power supply 230Vac/12Vdc in weatherproof box for IR50
IRBA	23,25	130202	Bracket for mounting 2 IR50 infrared illuminators on HEG housing (not compatible with double filter housings)
OSUPPIR	19,00	130621	Bracket for mounting 1xIR50 or 1xIRBD infrared illuminator for housings HPV42, HPV36, HOV, HEG (also for versions with blower system)
OIRCR	75,00	130374	Night switch for infrared illuminators 230Vac
OLP50SP	10,00	130380	Lamp 12Vac, 50W spot for IR65H1
OLP50FL	10,00	130378	Lamp 12Vac, 50W flood for IR65H1
OLP50WFL	10,00	130381	Lamp 12Vac, 50W wideflood for IR65H1
OLP50FL2	17,00	130379	Lamp 230Vac, 50W flood for IR65H2
IR300SP2	539,00	130211	IR illuminator 300W, 230Vac spot, IP65
IR300FL2	539,00	130210	IR illuminator 300W, 230Vac flood, IP65
IR300WFL2	539,00	130212	IR illuminator 300W, 230Vac wideflood, IP65
OIRCR	75,00	130374	Night switch for infrared illuminators 230Vac
OLP300SP	56,00	130376	Lamp 230Vac, 300W spot for IR300
OLP300FL	56,00	130375	Lamp 230Vac, 300W flood for IR300
OLP300WFL	56,00	130377	Lamp 230Vac, 300W wideflood for IR300
PTH310	558,54	130406	Pan & Tilt 230Vac, 50/60Hz, max load 12kg
PTH311	558,54	130408	Pan & Tilt 24Vac, 50/60Hz, max load 12kg
PTH310P	691,53	130407	Pan & Tilt with preset 230Vac, 50/60Hz, max load 12kg
PTH311P	691,53	130409	Pan & Tilt with preset 24Vac, 50/60Hz, max load 12kg
PTH355P	813,70	130410	Variable speed Pan & Tilt 24Vdc, with preset, max load 12kg
PTH910	754,04	130411	Pan & Tilt 230Vac, 50/60Hz, max load 30kg
PTH911	754,04	130414	Pan & Tilt 24Vac, 50/60Hz, max load 30kg
PTH910P	1.010,70	130412	Pan & Tilt with preset 230Vac, 50/60Hz, max load 30kg
PTH911P	1.010,70	130415	Pan & Tilt with preset 24Vac, 50/60Hz, max load 30kg
IPT720A	250,00	130200	Pan & Tilt 230Vac, 50Hz, wall mounting, max load 5kg
IPT721A	250,00	130201	Pan & Tilt 24Vac, 50Hz, wall mounting, max load 5kg

VIDEOTECH

PRICE LIST 2011

CODICE/PART NR.	List price Euro	Videor Nr.	ENGLISH - DESCRIPTION
CBZ220	149,77	130011	Pan & Tilt and zoom controller 230Vac, 50/60Hz
CBZ24	149,77	130012	Pan & Tilt and zoom controller 24Vac, 50/60Hz
PTAC	25,00	130402	Wall bracket for PTH300 P&T
PTBC	50,33	130403	Wall bracket for PTH900 P&T
WFWBTA	44,41	130543	Column bracket for PTH P&T series
PTPC	59,05	130417	Top pole bracket for PTH P&T series
PTCC1	92,00	130404	PTBC pole mount adaptor
WSFPA	44,68	92359	Pole mount adaptor Ø 65 - 110mm (2.5 - 4.3in)
WCWGC	65,00	130542	Corner adaptor for PTBC
WCWA	38,83	130541	Corner mount adaptor for PTAC
WCPA	25,00	130540	Wall bracket adaptor plate
DTRX3	489,00	130039	Telemetry receiver 17 functions, 230Vac
DTRX324	489,00	130040	Telemetry receiver 17 functions, 24Vac
DTCOAX	55,00	130546	Over the coax board for DTRX3 (only thru SM series matrix)
DTMRX2	250,00	130547	Telemetry receiver 12 functions, 230Vac
DTMRX224	250,00	130037	Telemetry receiver 12 functions, 24Vac
DTRXDC	390,00	130038	Telemetry receiver 13 functions for PTH355P
MICRODEC485	135,00	130220	Mini telemetry receiver 8 functions, 24Vac
DTWRX	42,00	130041	Optional board for wiper and washer remote control of stand-alone housings, via RS485. Compatible only with UPTWAS model
DCRE485	290,00	130028	RS485 data multiplexer, 1 input / 8 outputs
WBCAA	9,00	130523	Aluminium wall/ceiling camera bracket, RAL9002
WBCLA	5,00	130527	Techno polymer wall/ceiling camera bracket, RAL9002
WBCD19A	8,00	130525	Wall/ceiling camera bracket, RAL9002, 190mm, in aluminium with swivel and base of nylon
WBCD14A	8,00	130524	Wall/ceiling camera bracket, RAL9002, 140mm, in aluminium with swivel and base of nylon
WBCD8A	8,00	130526	Wall/ceiling camera bracket, RAL9002, 80mm, in aluminium with swivel and base of nylon
WBCV19A	11,00	130530	Wall/ceiling camera bracket, RAL9002, 190mm, in aluminium with base of nylon
WBCV14A	11,00	130529	Wall/ceiling camera bracket, RAL9002, 140mm, in aluminium with base of nylon
WBCV8A	11,00	130531	Wall/ceiling camera bracket, RAL9002, 80mm, in aluminium with base of nylon
WBPC5A	2,95	130528	50mm extension, RAL9002, for WBCD and WBCV brackets
LXBKC1	on request	130725	Short wall/ceiling bracket
LXBKC2	on request	130726	Telescopic wall/ceiling bracket
LXBKC3	on request	130646	Long telescopic ceiling bracket
VA01002	1.300,00	130693	ALBERT digital encoder for intelligent video content analysis, 1 video channel H264, bidirectional audio, bidirectional RS485/RS422, alarm inputs/outputs, SD slot
VA03002	1.700,00	130694	ALBERT digital encoder for intelligent video content analysis, 1 video channel, H264, bidirectional audio, bidirectional RS485/RS422, alarm inputs/outputs, SD slot and 40GB Industrial Hard Disk for H264 recording
OVARK	78,00	130719	Kit for ALBERT units rack-mounting
DCZ	550,00	130604	USB keyboard for management of CCTV applications from PC
DCT.2	1.240,00	130029	Matrix, DVR and telemetry control keyboard, touch screen, equipped with three axis joystick
DCJ.3	760,00	130026	Matrix and telemetry control keyboard with three axis joystick
USB485	40,00	130505	USB-RS485 converter for PC connection of control keyboard DCJ and DCT
DCTEL	220,00	130030	Matrix and telemetry control keyboard
DCBD	190,00	97263	Matrix control keyboard
DCIR	160,00	97135	Infrared remote control
SM328B	2.000,00	130420	Video matrix, 32 inputs, 8 outputs
SM164B	630,00	97134	Video matrix, 16 inputs and 4 outputs
SM84B	570,00	130423	Video matrix, 8 inputs and 4 outputs
SMEX8	60,00	130419	Expansion 8 inputs board for SM84B
SM82B	390,00	130422	Video matrix, 8 inputs and 2 outputs
SM42B	340,00	130421	Video matrix, 4 inputs and 2 outputs
SMEX4	50,00	130627	Expansion 4 inputs board for SM42A
SR4C	430,00	on request	QUAD 4 channels. Without hard disk
SW81SK	160,00	130426	Desktop video switcher 8 inputs and 1 output
SW41SK	140,00	130425	Desktop video switcher 4 inputs and 1 output
VD18T1	140,48	130508	Video distributor 1 input / 8 outputs
VD48P1	175,60	130509	Programmable video distributor 4 inputs / 8 outputs
VD816PR1	330,53	130510	Programmable video distributor 8 inputs / 16 outputs, rack version
TWP	69,00	130429	Mini twisted pair passive video transceiver
TWM2	97,61	130428	Mini twisted pair video transmitter, IN 12Vdc/24Vac
TWT2	97,61	130435	Twisted pair video transmitter in IP56 box, IN 12Vdc/24Vac
TWT2A	108,46	130436	Twisted pair video transmitter in IP56 box, 230Vac
TWRB2	160,00	130431	Twisted pair video receiver in IP56 box, IN 12Vdc/24Vac
TWRB2A	160,00	130432	Twisted pair video receiver in IP56 box, 230Vac
TWRR2	160,00	130434	Twisted pair video receiver on Europe card for rack version, IN 12Vdc/24Vac

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UCT2PBWA000A	130641	18.800,00	ULISSE COMPACT THERMAL dual vision 24Vac, zoom ottico 36x, telecamera termica 25mm, 7.5-8.3Hz, PAL, tergcristallo e riscaldamento integrato
UCT2PAWA000A	130642	18.800,00	ULISSE COMPACT THERMAL dual vision 24Vac, zoom ottico 36x, telecamera termica 35mm 7.5-8.3Hz, PAL, tergcristallo e riscaldamento integrato
UCT2NBWA000A	130643	18.800,00	ULISSE COMPACT THERMAL dual vision 24Vac, zoom ottico 36x, telecamera termica 25mm 7.5-8.3Hz, NTSC, tergcristallo e riscaldamento integrato
UCT2NAWA000A	130644	18.800,00	ULISSE COMPACT THERMAL dual vision 24Vac, zoom ottico 36x, telecamera termica 35mm 7.5-8.3Hz, NTSC, tergcristallo e riscaldamento integrato
UCT1PBWA000A	130639	18.800,00	ULISSE COMPACT THERMAL dual vision 230Vac, zoom ottico 36x, telecamera termica 25mm, 7.5-8.3Hz, PAL, tergcristallo e riscaldamento integrato
UCT1PAWA000A	130640	18.800,00	ULISSE COMPACT THERMAL dual vision 230Vac, zoom ottico 36x, telecamera termica 35mm, 7.5-8.3Hz, PAL, tergcristallo e riscaldamento integrato
UC2KSSA000A	130589	2.350,00	ULISSE COMPACT 24Vac, camera 10x NTSC
UC2BSSA000A	130579	2.350,00	ULISSE COMPACT 24Vac, camera 10x PAL
UC2BVSA000A	130581	2.445,00	ULISSE COMPACT 24Vac, camera 10x PAL, I/O alarms
UC2BVWA000A	130583	2.600,00	ULISSE COMPACT 24Vac, camera 10x PAL, wiper, I/O alarms
UC2KVSA000A	130591	2.445,00	ULISSE COMPACT 24Vac, camera 10x NTSC, I/O alarms
UC2BVQA000A	130580	2.925,00	ULISSE COMPACT 24Vac, camera 10x PAL, IR LED lamp 30°, I/O alarms
UC2BVUA000A	130582	3.080,00	ULISSE COMPACT 24Vac, camera 10x PAL, wiper, IR LED lamp 30°, I/O alarms
UC2KVWA000A	130593	2.600,00	ULISSE COMPACT 24Vac, camera 10x NTSC, wiper, I/O alarms
UC2KVQA000A	130590	2.925,00	ULISSE COMPACT 24Vac, camera 10x NTSC, IR LED lamp 30°, I/O alarms
UC2KVUA000A	130592	3.080,00	ULISSE COMPACT 24Vac, camera 10x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC2BSSAX00A	130671	2.830,00	ULISSE COMPACT IP 24Vac, camera 10x, Dual MPEG-4 stream web server
UC2BVSAX00A	130673	2.925,00	ULISSE COMPACT IP 24Vac, camera 10x, Dual MPEG-4 stream web server, I/O alarms
UC2BVWAX00A	130675	3.080,00	ULISSE COMPACT IP 24Vac, camera 10x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC2BVQAX00A	130672	3.405,00	ULISSE COMPACT IP 24Vac, camera 10x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC2BVUAX00A	130674	3.560,00	ULISSE COMPACT IP 24Vac, camera 10x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC2ASSA000A	130574	2.430,00	ULISSE COMPACT 24Vac, camera 18x PAL
UC2AVSA000A	130576	2.525,00	ULISSE COMPACT 24Vac, camera 18x PAL, I/O alarms
UC2AVWA000A	130578	2.680,00	ULISSE COMPACT 24Vac, camera 18x PAL, wiper, I/O alarms
UC2AVQA000A	130575	3.005,00	ULISSE COMPACT 24Vac, camera 18x PAL, IR LED lamp 30°, I/O alarms
UC2AVUA000A	130577	3.160,00	ULISSE COMPACT 24Vac, camera 18x PAL, wiper, IR LED lamp 30°, I/O alarms
UC2JSSA000A	130584	2.430,00	ULISSE COMPACT 24Vac, camera 18x NTSC
UC2JVSA000A	130586	2.525,00	ULISSE COMPACT 24Vac, camera 18x NTSC, I/O alarms
UC2JVWA000A	130588	2.680,00	ULISSE COMPACT 24Vac, camera 18x NTSC, wiper, I/O alarms
UC2JVQA000A	130585	3.005,00	ULISSE COMPACT 24Vac, camera 18x NTSC, IR LED lamp 30°, I/O alarms
UC2JVUA000A	130587	3.160,00	ULISSE COMPACT 24Vac, camera 18x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC2ASSAX00A	130666	2.910,00	ULISSE COMPACT IP 24Vac, camera 18x, Dual MPEG-4 stream web server
UC2AVSAX00A	130668	3.005,00	ULISSE COMPACT IP 24Vac, camera 18x, Dual MPEG-4 stream web server, I/O alarms
UC2AVWAX00A	130670	3.160,00	ULISSE COMPACT IP 24Vac, camera 18x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC2AVQAX00A	130667	3.485,00	ULISSE COMPACT IP 24Vac, camera 18x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC2AVUAX00A	130669	3.640,00	ULISSE COMPACT IP 24Vac, camera 18x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC2PSSA000A	130599	2.700,00	ULISSE COMPACT 24Vac, camera 36x PAL
UC2PVSA000A	130601	2.795,00	ULISSE COMPACT 24Vac, camera 36x PAL, I/O alarms
UC2PVWA000A	130603	2.950,00	ULISSE COMPACT 24Vac, camera 36x PAL, wiper, I/O alarms
UC2PVRA000A	130620	3.275,00	ULISSE COMPACT 24Vac, camera 36x PAL, IR LED lamp 10°, I/O alarms
UC2PVQA000A	130600	3.275,00	ULISSE COMPACT 24Vac, camera 36x PAL, IR LED lamp 30°, I/O alarms
UC2PVTA000A	130619	3.430,00	ULISSE COMPACT 24Vac, camera 36x PAL, wiper, IR LED lamp 10°, I/O alarms
UC2PVUA000A	130602	3.430,00	ULISSE COMPACT 24Vac, camera 36x PAL, wiper, IR LED lamp 30°, I/O alarms
UC2NSSA000A	130594	2.700,00	ULISSE COMPACT 24Vac, camera 36x NTSC
UC2NVSA000A	130596	2.795,00	ULISSE COMPACT 24Vac, camera 36x NTSC, I/O alarms
UC2NVWA000A	130598	2.950,00	ULISSE COMPACT 24Vac, camera 36x NTSC, wiper, I/O alarms
UC2NVRA000A	on request	3.275,00	ULISSE COMPACT 24Vac, camera 36x NTSC, IR LED lamp 10°, I/O alarms
UC2NVQA000A	130595	3.275,00	ULISSE COMPACT 24Vac, camera 36x NTSC, IR LED lamp 30°, I/O alarms

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UC2NVTA000A	on request	3.430,00	ULISSE COMPACT 24Vac, camera 36x NTSC, wiper, IR LED lamp 10°, I/O alarms
UC2NVUA000A	130597	3.430,00	ULISSE COMPACT 24Vac, camera 36x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC2PSSAX00A	130676	3.180,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server
UC2PVSA000A	130679	3.275,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server, I/O alarms
UC2PVWAX00A	130682	3.430,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC2PVRAX00A	130678	3.755,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server, IR LED lamp 10°, I/O alarms
UC2PVQAX00A	130677	3.755,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC2PVTAX00A	130680	3.910,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms
UC2PVUAX00A	130681	3.910,00	ULISSE COMPACT IP 24Vac, camera 36x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC1KSSA000A	on request	2.350,00	ULISSE COMPACT 230Vac, camera 10x NTSC
UC1KVSA000A	on request	2.445,00	ULISSE COMPACT 230Vac, camera 10x NTSC, I/O alarms
UC1KVQA000A	on request	2.925,00	ULISSE COMPACT 230Vac, camera 10x NTSC, IR LED lamp 30°, I/O alarms
UC1BSSA000A	130564	2.350,00	ULISSE COMPACT 230Vac, camera 10x PAL
UC1BVSA000A	130566	2.445,00	ULISSE COMPACT 230Vac, camera 10x PAL, I/O alarms
UC1BVQA000A	130565	2.925,00	ULISSE COMPACT 230Vac, camera 10x PAL, IR LED lamp 30°, I/O alarms
UC1KVWA000A	on request	2.600,00	ULISSE COMPACT 230Vac, camera 10x NTSC, wiper, I/O alarms
UC1BVWA000A	130568	2.600,00	ULISSE COMPACT 230Vac, camera 10x PAL, wiper, I/O alarms
UC1BVUA000A	130567	3.080,00	ULISSE COMPACT 230Vac, camera 10x PAL, wiper, IR LED lamp 30°, I/O alarms
UC1KVUA000A	on request	3.080,00	ULISSE COMPACT 230Vac, camera 10x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC1BSSAX00A	130656	2.830,00	ULISSE COMPACT IP 230Vac, camera 10x, Dual MPEG-4 stream web server
UC1BVSAX00A	130658	2.925,00	ULISSE COMPACT IP 230Vac, camera 10x, Dual MPEG-4 stream web server, I/O alarms
UC1BVQAX00A	130657	3.405,00	ULISSE COMPACT IP 230Vac, camera 10x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC1BVWAX00A	130659	3.080,00	ULISSE COMPACT IP 230Vac, camera 10x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC1BVUAX00A	130650	3.560,00	ULISSE COMPACT IP 230Vac, camera 10x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC1JSSA000A	on request	2.430,00	ULISSE COMPACT 230Vac, camera 18x NTSC
UC1JVSA000A	on request	2.525,00	ULISSE COMPACT 230Vac, camera 18x NTSC, I/O alarms
UC1JSSA000A	130559	2.430,00	ULISSE COMPACT 230Vac, camera 18x PAL
UC1JVWA000A	on request	2.680,00	ULISSE COMPACT 230Vac, camera 18x NTSC, wiper, I/O alarms
UC1AVSA000A	130561	2.525,00	ULISSE COMPACT 230Vac, camera 18x PAL, I/O alarms
UC1AVWA000A	130563	2.680,00	ULISSE COMPACT 230Vac, camera 18x PAL, wiper, I/O alarms
UC1AVQA000A	130560	3.005,00	ULISSE COMPACT 230Vac, camera 18x PAL, IR LED lamp 30°, I/O alarms
UC1JVQA000A	on request	3.005,00	ULISSE COMPACT 230Vac, camera 18x NTSC, IR LED lamp 30°, I/O alarms
UC1AVUA000A	130562	3.160,00	ULISSE COMPACT 230Vac, camera 18x PAL, wiper, IR LED lamp 30°, I/O alarms
UC1JVUA000A	on request	3.160,00	ULISSE COMPACT 230Vac, camera 18x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC1ASSAX00A	130652	2.910,00	ULISSE COMPACT IP 230Vac, camera 18x, Dual MPEG-4 stream web server
UC1AVSAX00A	130654	3.005,00	ULISSE COMPACT IP 230Vac, camera 18x, Dual MPEG-4 stream web server, I/O alarms
UC1AVWAX00A	130655	3.160,00	ULISSE COMPACT IP 230Vac, camera 18x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC1AVQAX00A	130653	3.485,00	ULISSE COMPACT IP 230Vac, camera 18x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC1AVUAX00A	130649	3.640,00	ULISSE COMPACT IP 230Vac, camera 18x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC1PSSA000A	130569	2.700,00	ULISSE COMPACT 230Vac, camera 36x PAL
UC1PVSA000A	130571	2.795,00	ULISSE COMPACT 230Vac, camera 36x PAL, I/O alarms
UC1NVUA000A	on request	3.430,00	ULISSE COMPACT 230Vac, camera 36x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC1PVWA000A	130573	2.950,00	ULISSE COMPACT 230Vac, camera 36x PAL, wiper, I/O alarms
UC1PVRA000A	130612	3.275,00	ULISSE COMPACT 230Vac, camera 36x PAL, IR LED lamp 10°, I/O alarms
UC1PVQA000A	130570	3.275,00	ULISSE COMPACT 230Vac, camera 36x PAL, IR LED lamp 30°, I/O alarms
UC1NSSA000A	on request	2.700,00	ULISSE COMPACT 230Vac, camera 36x NTSC
UC1PVTAX00A	130611	3.430,00	ULISSE COMPACT 230Vac, camera 36x PAL, wiper, IR LED lamp 10°, I/O alarms
UC1PVUA000A	130572	3.430,00	ULISSE COMPACT 230Vac, camera 36x PAL, wiper, IR LED lamp 30°, I/O alarms
UC1NVSA000A	on request	2.795,00	ULISSE COMPACT 230Vac, camera 36x NTSC, I/O alarms

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UC1NVWA000A	on request	2.950,00	ULISSE COMPACT 230Vac, camera 36x NTSC, wiper, I/O alarms
UC1NVRA000A	on request	3.275,00	ULISSE COMPACT 230Vac, camera 36x NTSC, IR LED lamp 10°, I/O alarms
UC1NVQA000A	on request	3.275,00	ULISSE COMPACT 230Vac, camera 36x NTSC, IR LED lamp 30°, I/O alarms
UC1NVTa000A	on request	3.430,00	ULISSE COMPACT 230Vac, camera 36x NTSC, wiper, IR LED lamp 10°, I/O alarms
UC1PSSAX00A	130660	3.180,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server
UC1PVSA000A	130663	3.275,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server, I/O alarms
UC1PVWAX00A	130665	3.430,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC1PVRAX00A	130662	3.755,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server, IR LED lamp 10°, I/O alarms
UC1PVQAX00A	130661	3.755,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC1PVTAX00A	130648	3.910,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms
UC1PVUAX00A	130664	3.910,00	ULISSE COMPACT IP 230Vac, camera 36x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC3KSSA000A	on request	2.350,00	ULISSE COMPACT 120Vac, camera 10x NTSC
UC3KVSA000A	on request	2.445,00	ULISSE COMPACT 120Vac, camera 10x NTSC, I/O alarms
UC3KVWA000A	on request	2.600,00	ULISSE COMPACT 120Vac, camera 10x NTSC, wiper, I/O alarms
UC3KVQA000A	on request	2.925,00	ULISSE COMPACT 120Vac, camera 10x PAL, IR LED lamp 30°, I/O alarms
UC3KVUA000A	on request	3.080,00	ULISSE COMPACT 120Vac, camera 10x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC3BSSA000A	on request	2.350,00	ULISSE COMPACT 120Vac, camera 10x PAL
UC3BVSA000A	on request	2.445,00	ULISSE COMPACT 120Vac, camera 10x PAL, I/O alarms
UC3BVWA000A	on request	2.600,00	ULISSE COMPACT 120Vac, camera 10x PAL, wiper, I/O alarms
UC3BVQA000A	on request	2.925,00	ULISSE COMPACT 120Vac, camera 10x PAL, IR LED lamp 30°, I/O alarms
UC3BVUA000A	on request	3.080,00	ULISSE COMPACT 120Vac, camera 10x PAL, wiper, IR LED lamp 30°, I/O alarms
UC3BSSAX00A	on request	2.830,00	ULISSE COMPACT IP 120Vac, camera 10x, Dual MPEG-4 stream web server
UC3BVSAX00A	on request	2.925,00	ULISSE COMPACT IP 120Vac, camera 10x, Dual MPEG-4 stream web server, I/O alarms
UC3BVWAX00A	on request	3.080,00	ULISSE COMPACT IP 120Vac, camera 10x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC3BVQAX00A	on request	3.405,00	ULISSE COMPACT IP 120Vac, camera 10x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC3BVUAX00A	on request	3.560,00	ULISSE COMPACT IP 120Vac, camera 10x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC3JVUA000A	on request	3.160,00	ULISSE COMPACT 120Vac, camera 18x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC3JSSA000A	on request	2.430,00	ULISSE COMPACT 120Vac, camera 18x NTSC
UC3JVSA000A	on request	2.525,00	ULISSE COMPACT 120Vac, camera 18x NTSC, I/O alarms
UC3JVWA000A	on request	2.680,00	ULISSE COMPACT 120Vac, camera 18x NTSC, wiper, I/O alarms
UC3JVQA000A	on request	3.005,00	ULISSE COMPACT 120Vac, camera 18x NTSC, IR LED lamp 30°, I/O alarms
UC3ASSA000A	on request	2.430,00	ULISSE COMPACT 120Vac, camera 18x PAL
UC3AVSA000A	on request	2.525,00	ULISSE COMPACT 120Vac, camera 18x PAL, I/O alarms
UC3AVWA000A	on request	2.680,00	ULISSE COMPACT 120Vac, camera 18x PAL, wiper, I/O alarms
UC3AVQA000A	on request	3.005,00	ULISSE COMPACT 120Vac, camera 18x PAL, IR LED lamp 30°, I/O alarms
UC3AVUA000A	on request	3.160,00	ULISSE COMPACT 120Vac, camera 18x PAL, wiper, IR LED lamp 30°, I/O alarms
UC3ASSAX00A	on request	2.910,00	ULISSE COMPACT IP 120Vac, camera 18x, Dual MPEG-4 stream web server
UC3AVSAX00A	on request	3.005,00	ULISSE COMPACT IP 120Vac, camera 18x, Dual MPEG-4 stream web server, I/O alarms
UC3AVWAX00A	on request	3.160,00	ULISSE COMPACT IP 120Vac, camera 18x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC3AVQAX00A	on request	3.485,00	ULISSE COMPACT IP 120Vac, camera 18x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC3AVUAX00A	on request	3.640,00	ULISSE COMPACT IP 120Vac, camera 18x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC3NVUA000A	on request	3.430,00	ULISSE COMPACT 120Vac, camera 36x NTSC, wiper, IR LED lamp 30°, I/O alarms
UC3NSSA000A	on request	2.700,00	ULISSE COMPACT 120Vac, camera 36x NTSC
UC3NVSA000A	on request	2.795,00	ULISSE COMPACT 120Vac, camera 36x NTSC, I/O alarms
UC3NVWA000A	on request	2.950,00	ULISSE COMPACT 120Vac, camera 36x NTSC, wiper, I/O alarms
UC3NVRA000A	on request	3.275,00	ULISSE COMPACT 120Vac, camera 36x NTSC, IR LED lamp 10°, I/O alarms
UC3NVQA000A	on request	3.275,00	ULISSE COMPACT 120Vac, camera 36x NTSC, IR LED lamp 30°, I/O alarms
UC3PSSA000A	on request	2.700,00	ULISSE COMPACT 120Vac, camera 36x PAL
UC3PVSA000A	on request	2.795,00	ULISSE COMPACT 120Vac, camera 36x PAL, I/O alarms
UC3PVWA000A	on request	2.950,00	ULISSE COMPACT 120Vac, camera 36x PAL, wiper, I/O alarms

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UC3PVRA000A	on request	3.275,00	ULISSE COMPACT 120Vac, camera 36x PAL, IR LED lamp 10°, I/O alarms
UC3NVTA000A	on request	3.430,00	ULISSE COMPACT 120Vac, camera 36x NTSC, wiper, IR LED lamp 10°, I/O alarms
UC3PVQA000A	on request	3.275,00	ULISSE COMPACT 120Vac, camera 36x PAL, IR LED lamp 30°, I/O alarms
UC3PVTA000A	on request	3.430,00	ULISSE COMPACT 120Vac, camera 36x PAL, wiper, IR LED lamp 10°, I/O alarms
UC3PVUA000A	on request	3.430,00	ULISSE COMPACT 120Vac, camera 36x PAL, wiper, IR LED lamp 30°, I/O alarms
UC3PSSAX00A	on request	3.180,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server
UC3PVSA000A	on request	3.275,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server, I/O alarms
UC3PVWAX00A	on request	3.430,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server, wiper, I/O alarms
UC3PVRA000A	on request	3.755,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server, IR LED lamp 10°, I/O alarms
UC3PVQA000A	on request	3.755,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server, IR LED lamp 30°, I/O alarms
UC3PVTAX00A	on request	3.910,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms
UC3PVUA000A	on request	3.910,00	ULISSE COMPACT IP 120Vac, camera 36x, Dual MPEG-4 stream web server, wiper, IR LED lamp 30°, I/O alarms
UC2QVRA000A	130706	3.150,00	ULISSE COMPACT 24Vac, camera 28x PAL, IR LED lamp 10°, I/O alarms
UC2QVTA000A	130707	3.305,00	ULISSE COMPACT 24Vac, camera 28x PAL, wiper, IR LED lamp 10°, I/O alarms
UC2MVRA000A	on request	3.150,00	ULISSE COMPACT 24Vac, camera 28x NTSC, IR LED lamp 10°, I/O alarms
UC2MVTA000A	on request	3.305,00	ULISSE COMPACT 24Vac, camera 28x NTSC, wiper, IR LED lamp 10°, I/O alarms
UC2QVRAX00A	130708	3.630,00	ULISSE COMPACT IP 24Vac, camera 28x, Dual MPEG-4 stream web server, IR LED lamp 10°, I/O alarms
UC2QVTAX00A	130709	3.785,00	ULISSE COMPACT IP 24Vac, camera 28x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms
UC1QVRA000A	130702	3.150,00	ULISSE COMPACT 230Vac, camera 28x PAL, IR LED lamp 10°, I/O alarms
UC1QVTA000A	130703	3.305,00	ULISSE COMPACT 230Vac, camera 28x PAL, wiper, IR LED lamp 10°, I/O alarms
UC1MVRA000A	on request	3.150,00	ULISSE COMPACT 230Vac, camera 28x NTSC, IR LED lamp 10°, I/O alarms
UC1MVTA000A	on request	3.305,00	ULISSE COMPACT 230Vac, camera 28x NTSC, wiper, IR LED lamp 10°, I/O alarms
UC1QVRAX00A	130704	3.630,00	ULISSE COMPACT IP 230Vac, camera 28x, Dual MPEG-4 stream web server, IR LED lamp 10°, I/O alarms
UC1QVTAX00A	130705	3.785,00	ULISSE COMPACT IP 230Vac, camera 28x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms
UC3MVRA000A	on request	3.150,00	ULISSE COMPACT 120Vac, camera 28x NTSC, IR LED lamp 10°, I/O alarms
UC3QVRA000A	on request	3.150,00	ULISSE COMPACT 120Vac, camera 28x PAL, IR LED lamp 10°, I/O alarms
UC3MVTA000A	on request	3.305,00	ULISSE COMPACT 120Vac, camera 28x NTSC, wiper, IR LED lamp 10°, I/O alarms
UC3QVTA000A	on request	3.305,00	ULISSE COMPACT 120Vac, camera 28x PAL, wiper, IR LED lamp 10°, I/O alarms
UC3QVRAX00A	on request	3.630,00	ULISSE COMPACT IP 120Vac, camera 28x, Dual MPEG-4 stream web server, IR LED lamp 10°, I/O alarms
UC3QVTAX00A	on request	3.785,00	ULISSE COMPACT IP 120Vac, camera 28x, Dual MPEG-4 stream web server, wiper, IR LED lamp 10°, I/O alarms

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UPT1SVSAY00E	130695	3.000,00	ULISSE NETWORK CAM 230Vac
UPT2SVSAY00E	130698	2.930,00	ULISSE NETWORK CAM 24Vac
UPT1SVWAY00E	130696	3.310,00	ULISSE NETWORK CAM 230Vac, with integrated wiper
UPT2SVWAY00E	130700	3.240,00	ULISSE NETWORK CAM 24Vac, with integrated wiper
UPT2SVQAY00E	130697	3.260,00	ULISSE NETWORK CAM 24Vac, with bracket for IR lamps
UPT2SVUAY00E	130699	3.570,00	ULISSE NETWORK CAM 24Vac, with integrated wiper and bracket for IR lamps
UPT1SMSA000C	130684	3.650,00	ULISSE PLUS 230Vac, large housing with heater
UPT2SMSA000C	130685	3.650,00	ULISSE PLUS 24Vac, large housing with heater
UPT1SMWA000C	130686	3.900,00	ULISSE PLUS 230Vac, large housing with heater and integrated wiper
UPT2SMWA000C	130687	3.900,00	ULISSE PLUS 24Vac, large housing with heater and integrated wiper
UPT2SMQA000C	130701	3.920,00	ULISSE PLUS 24Vac, large housing with heater and bracket for IR lamps
UPT2SMUA000C	130688	4.170,00	ULISSE PLUS 24Vac, large housing with heater, integrated wiper and bracket for IR lamps
UPT1NVRA000C	130443	3.890,00	Positioning unit 230Vac with 36x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1NVSA000C	130444	3.750,00	Positioning unit 230Vac with 36x day/night camera, NTSC, in standard side-opening housing
UPT1NVTA000C	130445	4.200,00	Positioning unit 230Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1NVWA000C	130446	4.060,00	Positioning unit 230Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper
UPT1PVRA000C	130448	3.890,00	Positioning unit 230Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1PVRA000C	130447	4.530,00	Positioning unit with integrated MPEG4 video server, 230Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1PVSA000C	130450	3.750,00	Positioning unit 230Vac with 36x day/night camera, PAL, in standard side-opening housing
UPT1PVSA000C	130449	4.390,00	Positioning unit with integrated MPEG4 video server, 230Vac with 36x day/night camera, PAL, in standard side-opening housing
UPT1PVTA000C	130452	4.200,00	Positioning unit 230Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1PVTAX00C	130451	4.840,00	Positioning unit with integrated MPEG4 video server, 230Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1PVWA000C	130454	4.060,00	Positioning unit 230Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper
UPT1PVWA000C	130453	4.700,00	Positioning unit with integrated MPEG4 video server, 230Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper
UPT1SLWA000C	130456	5.200,00	ULISSE MAXI 230Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT1SLWA000C	130455	5.840,00	ULISSE MAXI with integrated MPEG4 video server, 230Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT1SVGA000C	130458	4.095,00	ULISSE THERMAL 230Vac with standard side-opening housing and Germanium glass window
UPT1SVGAX00C	130457	4.735,00	ULISSE THERMAL with integrated MPEG4 video server, 230Vac, with standard side-opening housing and Germanium glass window
UPT1SVRA000C	130460	2.690,00	Positioning unit 230Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1SVRAX00C	130459	3.330,00	Positioning unit with integrated MPEG4 video server, 230Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1SVSA000C	130462	2.550,00	Positioning unit 230Vac with standard side-opening housing
UPT1SVSAX00C	130461	3.190,00	Positioning unit with integrated MPEG4 video server, 230Vac, with standard side-opening housing
UPT1SVTA000C	130464	3.000,00	Positioning unit 230Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1SVTAX00C	130463	3.640,00	Positioning unit with integrated MPEG4 video server, 230Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT1SVWA000C	130466	2.860,00	Positioning unit 230Vac with standard side-opening housing and integrated wiper
UPT1SVWAX00C	130465	3.500,00	Positioning unit with integrated MPEG4 video server, 230Vac, with standard side-opening housing and integrated wiper
UPT2NVQA000C	130467	3.950,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation * * Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2NVQA000C + UPTIRPS230	on request	3.950,00 + 210,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2NVRA000C	130468	3.820,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2NVSA000C	130469	3.680,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing
UPT2NVTA000C	130470	4.130,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UPT2NVUA000C + UPTIRPS230	on request	4.260,00 + 210,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UPT2NVUA000C	130471	4.260,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2NVWA000C	130472	3.990,00	Positioning unit 24Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper
UPT2PVDA000C	130474	4.700,00	Positioning Unit 24Vac PAL-36x day/night camera with standard side-opening housing-with built-in wiper and sensors for absolute positioning
UPT2PVDAX00C	130473	5.340,00	Positioning unit with integrated MPEG4 video server, 24Vac PAL-36x day/night camera with standard side-opening housing-with built-in wiper and sensors for absolute positioning
UPT2PVQA000C	130476	3.950,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2PVQA000C + UPTIRPS230	on request	3.950,00 + 210,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2PVQAX00C	130475	4.590,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2PVQAX00C + UPTIRPS230	on request	4.590,00 + 210,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2PVRA000C	130478	3.820,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2PVRA000C	130477	4.460,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2PVSA000C	130480	3.680,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing
UPT2PVSA000C	130479	4.320,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing
UPT2PVTA000C	130482	4.130,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2PVTA000C	130481	4.770,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2PVUA000C	130484	4.260,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2PVUA000C + UPTIRPS230	on request	4.260,00 + 210,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2PVUAX00C	130483	4.900,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2PVUAX00C + UPTIRPS230	on request	4.900,00 + 210,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2PVWA000C	130486	3.990,00	Positioning unit 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper
UPT2PVWAX00C	130485	4.630,00	Positioning unit with integrated MPEG4 video server, 24Vac with 36x day/night camera, PAL, in standard side-opening housing with integrated wiper
UPT2SLWA000C	130488	5.130,00	ULISSE MAXI 24Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT2SLWAX00C	130487	5.770,00	ULISSE MAXI with integrated MPEG4 video server, 24Vac with extra-large housing, integrated wiper and sensors for absolute positioning
UPT2SVDAX00C	130490	3.500,00	Positioning Unit 24Vac with standard side-opening housing with built-in wiper and sensors for absolute positioning
UPT2SVDAX00C	130489	4.140,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing with built-in wiper and sensors for absolute positioning
UPT2SVGA000C	130492	4.025,00	ULISSE THERMAL 24Vac with standard side-opening housing and Germanium glass window
UPT2SVGAX00C	130491	4.665,00	ULISSE THERMAL with integrated MPEG4 video server, 24Vac, with standard side-opening housing and Germanium glass window
UPT2SVQA000C	130494	2.750,00	Positioning unit 24Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2SVQA000C + UPTIRPS230	on request	2.750,00 + 210,00	Positioning unit 24Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2SVQAX00C	130493	3.390,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UPT2SVQAX00C + UPTIRPS230	on request	3.390,00 + 210,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2SVRA000C	130496	2.620,00	Positioning unit 24Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2SVRAX00C	130495	3.260,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2SVSA000C	130498	2.480,00	Positioning unit 24Vac with standard side-opening housing
UPT2SVSAX00C	130497	3.120,00	Positioning unit with integrated MPEG4 video server, 24Vac, with standard side-opening housing
UPT2SVTA000C	130500	2.930,00	Positioning unit 24Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2SVTAX00C	130499	3.570,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT2SVUA000C	130502	3.060,00	Positioning unit 24Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2SVUA000C + UPTIRPS230	on request	3.060,00 + 210,00	Positioning unit 24Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2SVUAX00C	130501	3.700,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2SVUAX00C + UPTIRPS230	on request	3.700,00 + 210,00	Positioning unit with integrated MPEG4 video server, 24Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2SVWA000C	130504	2.790,00	Positioning unit 24Vac with standard side-opening housing and integrated wiper
UPT2SVWAX00C	130503	3.430,00	Positioning unit with integrated MPEG4 video server, 24Vac, with standard side-opening housing and integrated wiper
UPT3NVRA000C	on request	3.890,00	Positioning unit 120Vac with 36x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT3NVSA000C	on request	3.750,00	Positioning unit 120Vac with 36x day/night camera, NTSC, in standard side-opening housing
UPT3NVTA000C	on request	4.200,00	Positioning unit 120Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT3NVWA000C	on request	4.060,00	Positioning unit 120Vac with 36x day/night camera, NTSC, in standard side-opening housing with integrated wiper
UPT3SVRA000C	on request	2.690,00	Positioning unit 120Vac with standard side-opening housing and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT3SVSA000C	on request	2.550,00	Positioning unit 120Vac with standard side-opening housing
UPT3SVTA000C	on request	3.000,00	Positioning unit 120Vac with standard side-opening housing and integrated wiper, and bracket for IR LED illuminators (IR not included), horizontal rotation limited to +/-160°
UPT3SVWA000C	on request	2.860,00	Positioning unit 120Vac with standard side-opening housing and integrated wiper
UPT2QVQA000C	130713	3.825,00	Positioning unit 24Vac with 28x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2QVQA000C + UPTIRPS230	on request	3.825,00 + 210,00	Positioning unit 24Vac with 28x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2QVQAX00C	130712	4.465,00	Positioning unit with integrated MPEG4 video server, 24Vac with 28x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2QVQAX00C + UPTIRPS230	on request	4.465,00 + 210,00	Positioning unit with integrated MPEG4 video server, 24Vac with 28x day/night camera, PAL, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2QVUA000C	130714	4.135,00	Positioning unit 24Vac with 28x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2QVUA000C + UPTIRPS230	on request	4.135,00 + 210,00	Positioning unit 24Vac with 28x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2QVUAX00C	130715	4.775,00	Positioning unit with integrated MPEG4 video server, 24Vac with 28x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.

Please note that mounting brackets are not included in the price

rev. 1049

Part nr.	Videor Nr.	List Price Euro	ENGLISH - DESCRIPTION
UPT2QVUAX00C + UPTIRPS230	on request	4.775,00 + 210,00	Positioning unit with integrated MPEG4 video server, 24Vac with 28x day/night camera, PAL, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2MVQA000C	on request	3.825,00	Positioning unit 24Vac with 28x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation * * Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.
UPT2MVQA000C + UPTIRPS230	on request	3.825,00 + 210,00	Positioning unit 24Vac with 28x day/night camera, NTSC, in standard side-opening housing and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2MVUA000C + UPTIRPS230	on request	4.135,00 + 210,00	Positioning unit 24Vac with 28x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation + Power Supply and control IN 230Vac in weatherproof box (part.nr. UPTIRPS230)
UPT2MVUA000C	on request	4.135,00	Positioning unit 24Vac with 28x day/night camera, NTSC, in standard side-opening housing with integrated wiper and bracket for IR LED illuminators (IR not included), continuous rotation ** Unit available in 24Vac only. For 230Vac use the optional Power Supply in weatherproof box IN 230Vac - part.nr. UPTIRPS230. For IN 120Vac use the power supply in weatherproof box cod. UPTIRPS120.

MEDUSA ADAPTERS SELECTION GUIDE

TESTED CAMERAS	Model	ODBH18H110,	ODBH18H210,	ODBH18H111,	ODBH18H211,	ODBH18H112,	ODBH18H114,
		ODBH18V110,	ODBH18V210,	ODBH18V111,	ODBH18V211,	ODBH18V112,	ODBH18H214, ODBH18V114, ODBH18V214
ACTI	ACM-8511	•	•				
	CAM-6510			•	•		
AXIS	213	•	•				
	214	•	•				
	215	•	•				
	231, 232			•	•		
	233D				•	•	
JVC	TK-C685			•	•		
	TK-C685E			•	•		
	TK-C686			•	•		
	TK-C686E			•	•		
	VN-V685U			•	•		
	VN-V686U			•	•		
PANASONIC	BB-HCM381	•	•				
	WV-NS202	•	•				
	WV-NS950	•					
	WV-CS950	•					
	WV-CS954			•	•		
GRANDEYE	HALOCAM IPC	•					•
SONY	SNC-RZ25P	•	•	•	•		
	SNC-RZ30P	•	•				
	SNC-RZ50P	•	•				
	SNC-RX-530						•
	SNC-RX-550						•
	SNC-RX-570						•

CAMERA VOLTAGE	MAINS VOLTAGE		
	24Vac	100-240Vac	230Vac
12Vdc	ODBH18H210 ODBH18V210	ODBH18H110 ODBH18V110 ODBH18H114 ODBH18V114	
24Vac	ODBH18H211 ODBH18V211 ODBH18H214 ODBH18V214		ODBH18H111 ODBH18V111
24Vdc		ODBH18H112 ODBH18V112	
230Vac		ODBH18H110 ODBH18V110	

DBH24 ADAPTERS SELECTION GUIDE

CAMERA TYPE	MODEL	ADAPTER	HEATER 230Vac	HEATER 24Vac	HEATER 12Vdc
TELECAMERA FISSA		ODBH24H000			
		ODBH24H100	•		
		ODBH24H200		•	
AMERICAN DYNAMICS - SENSORMATIC	ULTRA 8	ODBH24H221		•	
AXIS	213	ODBH24H144	•		
	213	ODBH24H244		•	
	214	ODBH24H151	•		
	231, 232	ODBH24H149	•		
	231, 232	ODBH24H249B		•	
CANON	VB-C50IR	ODBH24H144	•		
	VB-C50IR	ODBH24H244		•	
PANASONIC	WV-CS570, WV-NS320	ODBH24H121	•		
	WV-CS570, WV-NS320	ODBH24H221		•	
	WV-CS950	ODBH24H149	•		
	BB-HCM580	ODBH24H150	•		
	NS-202	ODBH24H154	•		
SONY	SNC-RZ30P, EVI-D70P/W	ODBH24H142	•		
	SNC-RZ30P, EVI-D70P/W	ODBH24H242		•	
	SNC-RZ25P, SNC-RZ50P	ODBH24H248B		•	